

SMART WALL

Brick Glossy
Collection

RAGNO 



R4ME Woodessence Brown 10x70cm - RD9Z Brick Glossy Beige 10x30cm

Brick Glossy


Small bricks in 10x30 cm size make up a range of products with an eclectic, sophisticated spirit. The surface, finished with hand-crafted effects which make it particularly soft and pleasant to the touch, is highly resistant to both stains and chemicals and does not require surface treatments, unlike natural brick. The Brick Glossy collection is most striking when used in combination with different floor covering materials, such as wood, stone or concrete effect porcelain stoneware, and provides a naturally textured background, ideal for imaginative design schemes featuring refined furnishings in urban taste.




RDA1 Brick Glossy Blue 10x30cm



RDA0 Brick Glossy White 10x30cm




RD9Y Brick Glossy Anthracite 10x30cm



RDA0 Brick Glossy White 10x30cm - RDA4 Brick Glossy Black 10x30cm



RD9Z Brick Glossy Beige 10x30cm



RDA0 Brick Glossy White 10x30cm - RDA3 Brick Glossy Purple 10x30cm



BRICK GLOSSY COLLECTION


BRICK GLOSSY COLLECTION

R4ME Woodessence Brown 10x70cm - RD9Z Brick Glossy Beige 10x30cm




RD9Z Brick Glossy Beige 10x30cm

White Body Wall Tiles




Anthracite

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
10x30cm	Glossy	RD9Y	Brick Glossy Anthracite	MM 07													36	1,08	12,60	66	71,28	831,64



Beige


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
10x30cm	Glossy	RD9Z	Brick Glossy Beige	MM 07													36	1,08	12,60	66	71,28	831,64



Black

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
10x30cm	Glossy	RDA4	Brick Glossy Black	MM 07													36	1,08	12,60	66	71,28	831,64

White Body Wall Tiles




Blue

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
10x30cm	Glossy	RDA1	Brick Glossy Blue	MM 07													36	1,08	12,60	66	71,28	831,64



Grigio


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
10x30cm	Glossy	RDA2	Brick Glossy Grigio	MM 07													36	1,08	12,60	66	71,28	831,64



Purple

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
10x30cm	Glossy	RDA3	Brick Glossy Purple	MM 07													36	1,08	12,60	66	71,28	831,64

White Body Wall Tiles



White

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
10x30cm	Glossy	RDA0	Brick Glossy White	MM 07													36	1,08	12,60	66	71,28	831,64

Caratteristiche Tecniche



Frost proof



Resistance deep abrasion

Destinazioni d'uso

D

Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E

Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F

Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

V0

Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1

Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2

Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

G

Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H

Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

V3

Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4

Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni



CE
005MRZI



UKCA 00
5MRZUK



© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 11/05/2026

RAGNO 